

NOTE: ELEVATIONS & SECTIONS ARE GRAPHIC ILLUSTRATIONS & SHOULD NOT BE USED TO SCALE OR BUILD FROM.

- NOTES FOR METAL ROOF:
 1) ALL ROOFING MATERIALS OVER 3/8" FELT METAL ROOFING TO BE MIN 29 GAUGE THICKNESS
 2) ALL ROOFS SHALL HAVE AN ICE DAM UNDERLAMENT OF 5' FROM EAVE
 3) ALL ROOF PROJECTIONS SHALL BE PROTECTED WITH AN ICE SPLITTER
 4) PROVIDE FOR ALL TYPES OF ROOF SHEET METAL VALLEY FLASHING AND OVER NORMALLY REQUIRED UNDERLAMENT
- NOTES FOR SHINGLED ROOF:
 1) ROOFING TO BE 40 YEAR ARCHITECTURAL GRADE TYPE A SHINGLES
 2) ALL ROOFS SHALL HAVE AN ICE DAM UNDERLAMENT OF 5' FROM EAVE
 3) ALL ROOF PROJECTIONS SHALL BE PROTECTED WITH AN ICE SPLITTER
 4) PROVIDE FOR ALL TYPES OF ROOF SHEET METAL VALLEY FLASHING AND OVER NORMALLY REQUIRED UNDERLAMENT
 5) ROOF CLASSIFICATION IS A
 6) ROOFING ASSEM. INSTALLED IN ACCORDANCE TO MANF. SPEC.

